

L Number	Hits	Search Text	DB	Time stamp
-	246	348/333.02	USPAT; US-PGPUB	2004/03/30 12:04
-	8	("0030754" and Sugimoto) ("0024604" and Fjima) ("0057351" and Suzuki) "6313877"	USPAT; US-PGPUB	2004/03/30 12:17
-	46	348/333.02 and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:46
-	19718	((dial switch indicator) SAME (lamp light) SAME (function mode))and @pd<20000731	USPAT; US-PGPUB	2004/04/02 13:26
-	0	((348.ccls. 396.ccls) and (dial switch indicator) SAME (lamp light) SAME (function mode))and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:49
-	6559222	((348/.ccls. 396/.ccls) and(dial switch indicator) SAME (lamp light) SAME (function mode)).and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:52
-	0	(396/.ccls) and((dial) SAME (lamp light) SAME (function mode)) and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:52
-	0	(348/.ccls) and((dial) SAME (lamp light) SAME (function mode)) and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:52
-	6558814	((348/.ccls. 396/.ccls) and(dial) SAME (light) SAME (function mode)).and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:53
-	6558774	((396/.ccls) and(dial) SAME (light) SAME (function mode)).and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:53
-	0	(396/.ccls) and ((dial) SAME (light) SAME (function mode)) and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:53
-	0	396/.ccls and ((dial) SAME (light) SAME (function mode)) and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:54
-	590	((dial) SAME (light) SAME (function mode)) and @pd<20000731	USPAT; US-PGPUB	2004/03/30 13:54
-	207	((dial) SAME (light) SAME (function mode)) and @pd<20000731 and camera	USPAT; US-PGPUB	2004/03/30 13:54
-	1147	348/333.02.ccls. 348/333.04.ccls. 348/333.06.ccls.	USPAT; US-PGPUB	2004/03/31 08:01
-		348/334.ccls. 348/373.ccls. 348/375.ccls. 348/376.ccls.		
-	571	(348/333.02.ccls. 348/333.04.ccls. 348/333.06.ccls.	USPAT; US-PGPUB	2004/03/31 10:31
-		348/334.ccls. 348/373.ccls. 348/375.ccls. 348/376.ccls.)and @pd<20000731		
-	576	(348/333.02.ccls. 348/333.04.ccls. 348/333.06.ccls.	USPAT; US-PGPUB	2004/03/31 15:01
-		348/334.ccls. 348/373.ccls. 348/375.ccls. 348/376.ccls.)and @pd>20000731		
-	581	348/207.99.ccls.	USPAT; US-PGPUB	2004/03/31 15:02
-	17	348/207.99.ccls. and (mode adj2 dial)	USPAT; US-PGPUB	2004/03/31 15:30
-	15	(light lamp) ADJ4 (mode adj2 dial)	USPAT; US-PGPUB	2004/04/02 07:50
-	22	((light lamp) SAME (mode adj2 dial)) and green	USPAT; US-PGPUB	2004/03/31 16:07
-	58	((light lamp LED) SAME (mode adj2 dial)) and (indicator index)	USPAT; US-PGPUB	2004/03/31 16:09
-	15	((light lamp) SAME (mode adj2 dial)) SAME LED	USPAT; US-PGPUB	2004/04/01 06:18
-	2	((light lamp) SAME (mode adj2 dial)) and LED NEAR3 indicator	USPAT; US-PGPUB	2004/04/01 06:22
-	409	(light lamp) AND (mode adj2 (dial switch)) AND LED AND indicator and camera	USPAT; US-PGPUB	2004/04/01 06:25
-	39	(light lamp) AND (mode adj2 (dial switch)) AND (LED ADJ2 indicator) and camera	USPAT; US-PGPUB	2004/04/01 06:27
-	230	(light lamp) AND (mode adj2 (dial switch)) AND (LED ADJ2 indicator)	USPAT; US-PGPUB	2004/04/01 06:57
-	1	(light lamp) AND (mode adj2 (dial switch)) AND (LED ADJ2 indicator) and lense	USPAT; US-PGPUB	2004/04/01 06:27
-	55	(light lamp) AND (mode adj2 (dial switch)) AND (LED ADJ2 indicator) and lens	USPAT; US-PGPUB	2004/04/01 06:45
-	4	((light lamp) WITH LED) AND (mode adj2 (dial switch)) and 396/.ccls.	USPAT; US-PGPUB	2004/04/01 06:49

-	9	((light lamp) WITH LED NEAR4 indicat\$3) AND (mode) and 396/?..ccls.	USPAT; US-PGPUB	2004/04/01 06:53
-	1	((light lamp) WITH LED NEAR4 indicat\$3) AND (dial) and 396/?..ccls.	USPAT; US-PGPUB	2004/04/01 06:54
-	0	(396/277.cccls 396/279.cccls 396/281.cccls 396/282.cccls 396/287.cccls 396/289.cccls 396/292.cccls) and (colour color)	USPAT; US-PGPUB	2004/04/01 06:59
-	0	(396/277.cccls 396/279.cccls 396/281.cccls 396/282.cccls 396/287.cccls 396/289.cccls 396/292.cccls)	USPAT; US-PGPUB	2004/04/01 07:00
-	0	396/277.cccls 396/279.cccls 396/281.cccls 396/282.cccls 396/287.cccls 396/289.cccls 396/292.cccls	USPAT; US-PGPUB	2004/04/01 07:00
-	144	(396/277.cccls. 396/279.cccls. 396/281.cccls. 396/282.cccls. 396/287.cccls. 396/289.cccls. 396/292.cccls.) and (colour color)	USPAT; US-PGPUB	2004/04/01 07:01
-	73	(396/277.cccls. 396/279.cccls. 396/281.cccls. 396/282.cccls. 396/287.cccls. 396/289.cccls. 396/292.cccls.) and ((colour color) WITH (light lamp indicator))	USPAT; US-PGPUB	2004/04/01 07:26
-	5731	LED SAME ((colour color) WITH (light lamp indicator))	USPAT; US-PGPUB	2004/04/01 07:27
-	1149	LED SAME ((colour color) WITH (light lamp indicator)) and camera	USPAT; US-PGPUB	2004/04/01 07:28
-	842445	LED SAME ((colour color) WITH (light lamp indicator)) and camera and mode	USPAT; US-PGPUB	2004/04/01 07:28
-	623	LED SAME ((colour color) WITH (light lamp indicator)) and camera and mode	USPAT; US-PGPUB	2004/04/01 07:28
-	77	LED SAME ((colour color) WITH (light lamp indicator)) and camera and mode and dial	USPAT; US-PGPUB	2004/04/01 07:50
-	13	adjacent SAME dial SAME indicator SAME "LED"	USPAT; US-PGPUB	2004/04/01 07:54
-	93	flashing SAME light\$3 SAME camera SAME "LED"	USPAT; US-PGPUB	2004/04/01 09:05
-	0	"09894009"	USPAT; US-PGPUB	2004/04/01 09:06
-	101	nagai AND norio	USPAT; US-PGPUB	2004/04/01 09:06
-	9	nagai ADj norio	USPAT; US-PGPUB	2004/04/01 10:04
-	357	396/281.cccls.	USPAT; US-PGPUB	2004/04/01 10:04
-	35	396/281.cccls. and mode and LED	USPAT; US-PGPUB	2004/04/01 10:28
-	1	6341202.bn.	USPAT; US-PGPUB	2004/04/01 10:28
-	2	"6341202"	USPAT; US-PGPUB	2004/04/01 10:47
-	1	"4137864".PN.	USPAT	2004/04/01 10:31
-	1	"4196988".PN.	USPAT	2004/04/01 10:31
-	1	"5122829".PN.	USPAT	2004/04/01 10:32
-	1	"5233378".PN.	USPAT	2004/04/01 10:33
-	1	"RE35415".PN.	USPAT	2004/04/01 10:34
-	1	"5745809".PN.	USPAT	2004/04/01 10:34
-	1	"5749005".PN.	USPAT	2004/04/01 10:35
-	1	"5761554".PN.	USPAT	2004/04/01 10:36
-	1	"5822628".PN.	USPAT	2004/04/01 10:37
-	1	"5915133".PN.	USPAT	2004/04/01 10:37
-	1	"3643572".PN.	USPAT	2004/04/01 10:39
-	1	"3839723".PN.	USPAT	2004/04/01 10:39
-	1	"3947862".PN.	USPAT	2004/04/01 10:40
-	1	"3964082".PN.	USPAT	2004/04/01 10:40
-	1	"4067033".PN.	USPAT	2004/04/01 10:41
-	1	"4598986".PN.	USPAT	2004/04/01 10:41
-	1	"5099267".PN.	USPAT	2004/04/01 10:41
-	1	"5099267".PN.	USPAT	2004/04/01 10:41
-	1	"5210569".PN.	USPAT	2004/04/01 10:42
-	1	"5223888".PN.	USPAT	2004/04/01 10:42

-		1	"5280320".PN.	USPAT	2004/04/01 10:43
-		1	"5283606".PN.	USPAT	2004/04/01 10:43
-		1	"5283606".PN.	USPAT	2004/04/01 10:43
-		1	"5298936".PN.	USPAT	2004/04/01 10:44
-		1	"5915133".PN.	USPAT	2004/04/01 10:44
-		1	"5745809".PN.	USPAT	2004/04/01 10:45
-		1	"5749005".PN.	USPAT	2004/04/01 10:45
-		1	"6636264"	USPAT; US-PGPUB	2004/04/01 10:47
-		1	6636264.pn.	USPAT; US-PGPUB	2004/04/01 11:02
-		1	"6154210".PN.	USPAT	2004/04/01 10:48
-		1	"6215523".PN.	USPAT	2004/04/01 10:48
-		1	"6357716".PN.	USPAT	2004/04/01 10:48
-		1	"6341202".PN.	USPAT	2004/04/01 10:48
-		1	"5745809".PN.	USPAT	2004/04/01 10:57
-		1	"4837596".PN.	USPAT	2004/04/01 10:57
-		1	"4483601".PN.	USPAT	2004/04/01 10:57
-		1	"4529291".PN.	USPAT	2004/04/01 10:57
-		1	"4687308".PN.	USPAT	2004/04/01 10:58
-		1	"4707101".PN.	USPAT	2004/04/01 10:58
-		1	"4837596".PN.	USPAT	2004/04/01 10:58
-		1	"20020089591"	USPAT; US-PGPUB	2004/04/01 11:04
-		1	6067422.pn.	USPAT; US-PGPUB	2004/04/01 11:04
-		1	5748238.pn.	USPAT; US-PGPUB	2004/04/01 11:06
-		1	5664243.pn.	USPAT; US-PGPUB	2004/04/01 11:07
-		1	5162915.pn.	USPAT; US-PGPUB	2004/04/01 11:10
-		1	6351609.pn.	USPAT; US-PGPUB	2004/04/01 12:26
-		1	"4604668".PN.	USPAT	2004/04/01 11:14
-		1	"4809079".PN.	USPAT	2004/04/01 11:14
-		1	"4858012".PN.	USPAT	2004/04/01 11:14
-		1	"4858028".PN.	USPAT	2004/04/01 11:14
-		1	"4928137".PN.	USPAT	2004/04/01 11:14
-		1	"4945424".PN.	USPAT	2004/04/01 11:14
-		1	"4959735".PN.	USPAT	2004/04/01 11:15
-		1	"5030979".PN.	USPAT	2004/04/01 11:15
-		1	"5030979".PN.	USPAT	2004/04/01 11:16
-		1	"20030076281"	USPAT; US-PGPUB	2004/04/01 12:31
-		1	"20010048474"	USPAT; US-PGPUB	2004/04/01 12:34
-		1	"20020089591"	USPAT; US-PGPUB	2004/04/01 12:34
-		1	"20030202224"	USPAT; US-PGPUB	2004/04/02 07:04
-		6	5220400.pn. 5179474.pn. 5734417.pn. 5594502.pn. 5247330.pn. 4939580.pn.	USPAT; US-PGPUB	2004/04/02 07:42
-		2	(light lamp) ADJ4 (mode adj2 dial)	JPO	2004/04/02 07:59
-		4	KAWADA adj TATSUYA)(MINAGAWA adj HIROYUKI	USPAT; US-PGPUB	2004/04/02 08:13
-		0	09-061819	USPAT; US-PGPUB	2004/04/02 08:14
-		0	"09-061819"	USPAT; US-PGPUB	2004/04/02 08:14

	0	"09-061819"	USPAT; US-PGPUB; JPO	2004/04/02 08:14
	1	"09061819"	USPAT; US-PGPUB; JPO	2004/04/02 08:24
	148	phosphor\$6 and dial and camera	USPAT; US-PGPUB; JPO	2004/04/02 08:27
	3	(phosphor\$6 WITH dial) and camera	USPAT; US-PGPUB; JPO	2004/04/02 08:30
	14	(phosphor\$6 WITH dial) and mode	USPAT; US-PGPUB; JPO	2004/04/02 09:45
	1	"2975409".PN.	USPAT	2004/04/02 08:35
	1	"3046534".PN.	USPAT	2004/04/02 08:36
	1	"3303490".PN.	USPAT	2004/04/02 08:36
	1	"3478209".PN.	USPAT	2004/04/02 08:54
	1	"3478346".PN.	USPAT	2004/04/02 08:54
	1	"3534361".PN.	USPAT	2004/04/02 08:56
	1	"3578972".PN.	USPAT	2004/04/02 08:56
	1	"3614774".PN.	USPAT	2004/04/02 08:56
	87	348/227.1.ccls.	USPAT; US-PGPUB; JPO	2004/04/02 09:48
	4	348/227.1.ccls. and LCD	USPAT; US-PGPUB; JPO	2004/04/02 09:51
	29	348/227.1.ccls. and display	USPAT; US-PGPUB; JPO	2004/04/02 10:06
	11	348/227.1.ccls. and display and mode	USPAT; US-PGPUB; JPO	2004/04/02 10:36
	1	"5453939".PN.	USPAT	2004/04/02 10:19
	282	display and mode and (backlight\$3 or back-light\$3) and (ambient adj light\$3) and camera	USPAT; US-PGPUB; JPO	2004/04/02 10:39
	282	(display and mode and (backlight\$3 or back-light\$3) and (ambient adj light\$3) and camera)	USPAT; US-PGPUB; JPO	2004/04/02 13:19
	10	(display and mode and (backlight\$3 or back-light\$3) and (ambient adj light\$3) and camera) and (power NEAR2 (sav\$4))	USPAT; US-PGPUB; JPO	2004/04/02 13:19
	1	"4221112".PN.	USPAT	2004/04/02 11:28
	1	5946507.bn.	USPAT; US-PGPUB; JPO	2004/04/02 12:38
	3	"5946507"	USPAT; US-PGPUB; JPO	2004/04/02 12:38
	1	"5835173".PN.	USPAT	2004/04/02 12:41
	1	"5835173".PN.	USPAT	2004/04/02 12:41
	1	"5692818".PN.	USPAT	2004/04/02 12:41
	1	"5677759".PN.	USPAT	2004/04/02 12:42
	1	"5618093".PN.	USPAT	2004/04/02 12:42
	1	"5164751".PN.	USPAT	2004/04/02 12:44
	1	"5521662".PN.	USPAT	2004/04/02 12:44
	1	"4221112".PN.	USPAT	2004/04/02 12:44
	1	"4893140".PN.	USPAT	2004/04/02 12:45

-	14	(display and mode and (backlight\$3 or back-light\$3) and (ambient adj light\$3) and camera) and (power and dial)	USPAT; US-PGPUB; JPO	2004/04/02 13:23
-	21	display and mode and (backlight\$3 or back-light\$3) and (ambient adj light\$3) and camera and dial	USPAT; US-PGPUB	2004/04/02 13:24
-	1144	display and mode and LCD and camera and dial	USPAT; US-PGPUB	2004/04/02 13:25
-	325	display and LCD and camera and (dial near3 mode)	USPAT; US-PGPUB	2004/04/02 13:26
-	91	display and LCD and camera and (dial near3 mode)and @pd<20000731	USPAT; US-PGPUB	2004/04/02 13:47
-	6	"6067422"	USPAT; US-PGPUB	2004/04/02 13:28
-	40	"5748238" "5664243" "5162915"	USPAT	2004/04/02 13:48
-	7	5748238.pn. 5664243.pn. 5162915.pn. 6636264.pn. 6351609.pn. 6341202.pn. 4284333.pn.	USPAT	2004/04/02 13:49
-	2	2-53040	USPAT; JPO	2004/04/05 08:29
-	7	"6636264" "6351609" "6341202" "4284333"	USPAT; JPO	2004/04/05 09:48
-	40	"20020093582" "5748238" "5664243" "5162915"	USPAT; JPO	2004/04/05 09:58
-	2	("20020093582" "5748238" "5664243" "5162915") and (mode near3 dial)	USPAT; JPO	2004/04/05 10:49
-	0	348/227.1.ccls and 348/333.13.ccls	USPAT; JPO	2004/04/05 10:49
-	0	348/333.13.ccls	USPAT; JPO	2004/04/05 10:50
-	0	348/333.ccls	USPAT; JPO	2004/04/05 10:50
-	0	348/227.1.ccls and 348/333.13.ccls	USPAT; US-PGPUB	2004/04/05 10:50
-	0	348/333.13.ccls	USPAT; US-PGPUB	2004/04/05 10:50
-	0	348/227.1.ccls	USPAT; US-PGPUB	2004/04/05 10:50
-	0	348/227.1.ccls. and 348/333.13.ccls.	USPAT; US-PGPUB	2004/04/05 10:51
-	31	348/333.13.ccls.	USPAT; US-PGPUB	2004/04/05 11:21
-	28	348/333.13.ccls. and mode	USPAT; US-PGPUB	2004/04/05 11:22
-	25	348/333.13.ccls. and mode and light	USPAT; US-PGPUB	2004/04/05 11:36
-	0	348/333.13.ccls. and (dial near2 mode) and (light near2 back)	USPAT; US-PGPUB	2004/04/05 11:37
-	8	348/333.13.ccls. and (light near2 back)	USPAT; US-PGPUB	2004/04/05 11:39
-	8	348/333.13.ccls. and (light near2 back) and mode	USPAT; US-PGPUB	2004/04/05 13:58
-	1	6341202.pn.	USPAT; US-PGPUB	2004/04/05 13:58
-	2	"6341202"	USPAT; US-PGPUB	2004/04/06 14:27
-	0	11-175570	JPO	2004/04/05 14:02
-	1	"175570"	JPO	2004/04/05 15:45
-	0	(phosphor\$4 WITH (index indicator indic\$2)) and camera	JPO	2004/04/05 15:48
-	122	(phosphor\$4 WITH (index indicator indic\$2)) and camera	USPAT; US-PGPUB	2004/04/05 15:48
-	0	(phosphor\$4 WITH (index indicator indic\$2)) and camera and (dial)	USPAT; US-PGPUB	2004/04/05 15:48
-	53	(phosphor\$4 WITH (index indicator indic\$2)) and camera and (mode)	USPAT; US-PGPUB	2004/04/05 15:52

-	465	((light adj emitting) WITH (index indicator indic\$2)) and camera and (mode)	USPAT; US-PGPUB	2004/04/05 15:52
-	7	((light adj emitting) WITH (index indicator indic\$2)) and camera and (mode near3 dial)	USPAT; US-PGPUB	2004/04/05 15:53
-	0	(" glow in the dark") WITH (index indicator indic\$2)) and camera and (mode near3 dial)	USPAT; US-PGPUB	2004/04/05 15:53
-	0	(" glow in the dark") WITH (index indicator indic\$2))	USPAT; US-PGPUB	2004/04/05 15:54
-	31	((glow adj2 dark) WITH (index indicator indic\$2))	USPAT; US-PGPUB	2004/04/05 15:54
-	218	((phosphorescent) WITH (index indicator indic\$2))	USPAT; US-PGPUB	2004/04/05 15:55
-	23	((phosphorescent) WITH (index indicator indic\$2)) and camera	USPAT; US-PGPUB	2004/04/05 15:55
-	1	((phosphorescent) WITH (index indicator indic\$2)) and (digital adj camera)	USPAT; US-PGPUB	2004/04/05 15:56
-	5	((phosphorescent) WITH (index indicator indic\$2)) and (watch)	USPAT; US-PGPUB	2004/04/06 06:13
-	0	((electrolumine\$4) WITH (index indicator indic\$2)) and (watch)	USPAT; US-PGPUB	2004/04/06 06:13
-	0	((electrolumine\$4) WITH (index indicator indic\$2)) and (camera)	USPAT; US-PGPUB	2004/04/06 06:14
-	0	(electrolumine\$4) WITH (camera)	USPAT; US-PGPUB	2004/04/06 06:14
-	0	(electrolumin\$4) WITH (camera)	USPAT; US-PGPUB	2004/04/06 06:14
-	4200	(lumin\$6) WITH (camera)	USPAT; US-PGPUB	2004/04/06 06:14
-	493	((lumin\$6) WITH (index indicator indic\$2)) and (camera)	USPAT; US-PGPUB	2004/04/06 06:15
-	3	((lumin\$6) WITH (index indicator indic\$2)) and (camera) and (mode near2 dial)	USPAT; US-PGPUB	2004/04/06 06:19
-	1	((lumin\$6) WITH (index indicator indic\$2)) and (camera) and (mode near2 dial) and "224" and "324" and "410"	USPAT; US-PGPUB	2004/04/06 06:28
-	1	((lumin\$6) WITH (index indicator indic\$2)) and watch and (mode near2 dial)	USPAT; US-PGPUB	2004/04/06 06:28
-	2	"6341202" and plural\$4	USPAT; US-PGPUB	2004/04/06 14:27
-	1	6341202.pn. and shutter	USPAT; US-PGPUB	2004/04/07 16:21
-	1	6351609.pn.	USPAT; US-PGPUB	2004/04/08 07:39